**Local catalogue draft** · Preview only. Product data and documents are not released. Open catalogue review

**Draft without a blocking review case**

This view is not engineering approval. Open and withheld information remains unresolved.

▶ 5 open or withheld review cases



Reference image: 250 mm. See the technical data for the actual product length. 1 / 1

PROFILES

# 050 Support Profile - 1500mm

Article number
X-S-PR-1500

REQUEST A QUOTE

The support-arm profile forms the straight connecting element in the X-S support-arm system. It defines the distance between the connection and joint modules and is combined with components from this profile series. This version has a length of 1,500 mm. The layout of the support-arm assembly can therefore be matched to the position of the operator enclosure and the intended workstation.

Weight
**3,000 g**

Colour
**RAL 7035**

Package Dimensions
**50 × 75 × 1510 mm**

HS Code
**7606.99.90.19**

Warranty
**5 years**

## Technical data

Specifications for planning, selection and use at a glance.

### Material & finish

| | |
|---|---|
| RAL colours | RAL 7035 |

### Application & function

| | |
|---|---|
| Operating Weight | 3,000 g |
| Primary Use Case | Machine Building / Automation / HMI operator stations |
| Operating Temperature | –40°C to +70°C |
| Protection Rating | IP65 (DIN EN 60529) |
| Rated Voltage | Mechanical (not subject to electrical certification) |

### Safety & compliance

| | |
|---|---|
| Earthing | Yes, integrated solution |
| RoHS Compliance | RoHS EU Directive 2011/65/EU |
| REACH Compliance | REACH Regulation 1907/2006/EC |
| Certification | IEC 60529; (EG) No. 765/2008; (EU) 2023/956 |

### Further information

| | |
|---|---|
| Length | 1,500 mm |
| Load at 1,000 mm arm length | 50 kg |

## Ordering & delivery information

Package dimensions

50 × 75 × 1510 mm

HS Code

**7606.99.90.19**

Warranty

**5 years**

# Version & enquiry

Use the item number and version to prepare your enquiry.

Search SKU or name...

1 of 1 mm in

| SKU ↑ | LENGTH (MM) ↑↓ | WEIGHT (G) ↑↓ | Choose a version |
|---|---|---|---|
| SKU: X-S-PR-1500 | 1500 | 3000 | Select |